

RECEIVED NOV 1 8 2005

Technology Center 2100




FIG. 1A

TRANSACTION					
Attribute Name	Seq. Opt.	opt.	Format	Length	Length Decimal
TRANSACTION_CD	10	z	VARCHAR2	7	
NAME_TX	20	Z	VARCHAR2	40	
DESCR_TX	30	Y	VARCHAR2	2000	

FIG. 1B

TRANSACTION_DTL

Attribute Name	Seq. Opt.	Opt.	Format	Length	Length Decimal
TRANSACTION_DTL_ID	10	Z	VARCHAR2	7	
TRANSACTION_CD_FK	20	z	VARCHAR2	7	
TRANSACTION_DTL_ID_RFK	30	z	VARCHAR2	7	
DATE_TX	40	Z	DATE		

FIG. 1C

Transaction

Transaction_CD Name_TX		Descr_TX
Buy_Prod	Buy product transaction 7	This transaction relates to a customer buying a product.
Sell_Prod	ğ	This transaction to a vendor selling a product.

FIG. 1D

Transaction_Detail


uy_Prod 11/05/199 ell_Prod 11/01/199	ransaction_Dt1_ID	uy_Pr	Date_DT 11/01/1999
Buy_Prod Sell_Prod	1	uy_Pr	11/01/19
Sell_Prod	2 .	uy_Pr	11/05/199
	ω	11_	11/01/199

RECEIVED NOV 18 2005



RECEIVED NOV 1 8 2005

Technology Center 2100



614 F NOV 14 2005 THE TRADEAN TOOL

TOOLCD

NAME_TX

DESCR_TX LABEL_SET_CD

NAME_TX

DESCR_TX SYSTM

SYSTM_ID

NAME_TX

NAME_TX

CONTROL OF CONTROL O LANG LANG_CD NAME_TX DESCR_TX VALID_TOOL

• CREAT_DT FIG 3B DEF_OBJ • DEF_OBJ_ID • NAME_TX • DESCR_TX DEF_OBJ_ATTR

DEF_OBJ_ATTR.ID

• ABST_OBJ_DF_YN

• NAME

• DESCR_TX

Attribute Name	Seq.	Opt.	Seq. Opt. Format	Length	Decimal
TOOL_CD	10	z	VARCHAR2	200	
NAME_TX,	20	К	VARCHAR2	40	
DESCR_TX	30	Ч	VARCHAR2	2000	

FIG. 4A

DEF_OBJECT

Attribute Name	Seq.	Opt.	Seq. Opt. Format	Length Decimal	Decimal
DEF_OBJECT_ID	10	z	NUMBER	10	
NAME_TX	20	ĸ	VARCHAR2	40	
DESCR_TX	30	Y	VARCHAR2	2000	
The second secon					

FIG. 4B

SYSTM

Attribute Name	Seq.	Opt.	Format	Length	Decimal
SYSTM_ID	10	z	NUMBER	10	
NAME_TX	20	ĸ	VARCHAR2	40	
PASSWORD_NR	30	ĸ	NUMBER	10	
SCHEMA_CD	40	ĸ	VARCHAR2	200	
VERSN_NR	50	ĸ	NUMBER	10	
DESCR_TX	60	У	VARCHAR2	2000	

FIG. 4C

LID_TOOL

Attribute Name	Seq.	Opt.	Seq. Opt. Format	Length	Decimal
CREAT_BY	10	К	VARCHAR2	200	
CREAT_DT .	20	Ч	DATE		

FIG. 4D

0ВJ





Attribute Name	Seq.	Seq. Opt.	Format	Length	Decimal
OBÚ_ID	10	Z	NUMBER	10	
NAME_TX	20	ĸ	VARCHAR2	40	
DESCR点计X	30	Y	VARCHAR2	2000	

· FIG. 4E

ABSTR_OBJ

Attribute Name	Seq.	Opt.	Seq. Opt. Format	Length Decima	Decimal
ABSTR_OBJ_ID	10	z	NUMBER	10	
NAME_TX	20	ĸ	VARCHAR2	40	
DESCR_TX	30	۲	VARCHAR2	2000	

FIG. 4F

LANG

Attribute Name	Seq.	Opt.	Seq. Opt. Format	Length Decimal	Decimal
LANG_CD	10	z	VARCHAR2	200	
NAME_TX	20	К	VARCHAR2	40	
DESCR_TX	30	۲	VARCHAR2	2000	

FIG. 4G

LABEL_SET

Attribute Name	Seq.	Seq. Opt.	Format	Length	Decimal
LABEL_SET_CD	10	z	VARCHAR2	200	
NAME_TX	20	ĸ	VARCHAR2	40	
DESCR_TX	30	Ч	VARCHAR2	2000	

FIG. 4H



Attribute Name	Seq.	Opt.	Format	Length	Decimal
DOMAIN_CD	10	z	VARCHAR2	200	
NAME_TX_S	20	ĸ	VARCHAR2	40	
DEFLT_TX	30	К	VARCHAR2	200	
DEFLT_NR	40	ĸ	NUMBER	10	
DEFLT_DT	50	К	DATE		
DATA_TYPE_CD	60	Ч	VARCHAR2	200	
LNGTH_NR	70	Ч	NUMBER	10	
MAX_NR	80	ĸ	NUMBER	10	
MIN_NR	90	ч	NUMBER	10	
PRCSN_NR	100	ĸ	NUMBER	10	
VALID_RULE_TX	110	ላ	VARCHAR2	2000	
DESCR_TX	120	ĸ	VARCHAR2	2000	
Z_DOMAIN_CD	130	К	VARCHAR2	200	

FIG. 4I

DEF_OBJ_ATTR

					•
Attribute Name	Seq.	Opt.	Seq. Opt. Format	Length	Length Decimal
DEF_OBJ_ATTR_ID	10	z	NUMBER	10	
ABST_OBJ_IDF_YN	20	К	VARCHAR2	1	
NAME_TX	30	К	VARCHAR2	40	
DESCR_TX	40	Y	VARCHAR2	2000	

FIG. 4J

OBJ_VALUE

Attribute Name	Seq.	opt.	Seq. Opt. Format	Length	Decimal
OBJ_VALUE_ID	10	Z	NUMBER	10	
VALUE_NR	20	К	NUMBER	10	
VALUE_TX	30	У	VARCHAR2	2000	

	TOOL_GD	NAME_TX	DESCR_TX
	Forms.	Oracle Forms	Oracle Developers' screen application product.
	Reports	Oracle Reports	Oracle Developers' report application product
	SQL Server	Microsoft SQL Server	Microsoft database developers Database Management System
•			product

FIG. 7A

DEF_OBJ

	377	363	362	361	360	359	358	357	356	355	354	DEF_OBJ_ID
	Radio Group	Button	Checkbox	Display Item	Text Item	Visual Attribute	Tab Page	Canvas	Window	Block	Form	NAME_TX
	355	355	355	355	355	354	357	356	354	354		DEF_OBJ_ID_RFK
FIC	Forms	Forms	Forms	Forms	Forms	Forms	Forms	Forms	Forms	Forms	Forms	TOOL_CD
FIG. 7B	An Oracle Developer Form's radio group.	An Oracle Developer Form's button.	An Oracle Developer Form's checkbox.	An Oracle Developer Form's display item.	An Oracle Developer Form's text item.	An Oracle Developer Form's visual attribute.	An Oracle Developer Form's tab page.	An Oracle Developer Form's canvas.	An Oracle Developer Form's window.	An Oracle Developer Form's block.	An Oracle Developer Form's form.	DESCR_TX

MISAS

		ω		2	1	SYSTM_ID
		Marketing IS		ABC Corp.	Payroll System	NAME_TX
	=	Litn35		Wat99	Amnbc1	PASSWORD_NR
FIG. 7C						SCHEMA_CD
7C		1.2		2.1	3.0	VERSN_NR
	system.	This is the marketing information	system for ABC Corporation.	This is the entire information	This is the payroll system.	DESCR_TX

FIG. 7D

June 14, 2000 June 14, 2000



VALID_TOOL SYSTM_ID_FK

TOOL_CD_FK
Forms
Forms
Reports

Tom Jones
Tom Jones

CREAT_BY
John Smith

January 29, 2000

																,																			_			_`
3505	3517		3516	3515	3514	35 L3		3512	3511		3510		3509	0	3508	3507	3506		3518	3535	3534	3533	3532	3531	3530	3529	3528	3527	3526	3525	3524	3523	3522	3521	3520	3519.	7	OR.T.TD
V_Gen_Party_COB_Info_Trans.Activ_YN	V_Gen_Party_COB_Info_Role_Tran.Stord_Value	_COB_Info_ID			V_Gen_Party_COB_Info_Role.Pb_Value	V_Gen_Party_COB_Info_Roie.Pb_Lang_CD		V_Gen_Party_COB_Info_Role.Activ_YN	V_Gen_Party_COB_Info_kole.Lang_Name_TX		V_Gen_Party_COB_Info_Role.Stord_Value		V Gen Party COB Info Role.Var Name TX	Info_ID	V Gen Party COB Info Role Gen Party COB	STab2	V_Gen_Party_COB_Info_Role	TX		C_Geogr_Reg_Filter	V_Geogr_Reg	GR_Filter	COB_Reprt	Gr_Drill_Down	Party_Drill_Down	Source.Push_Button439	Source.RG_Source	Source.Name_TX	[2]	Source.Z_Party_CD	Source.Cntxt_TX	Source.Party_Role_ID	C_Source	W_Source .	Source	V_Gen_Party_COB_inio_koie_Tran.Activ	Normal TV	NAME TY
3501	3515		3515	3373	3506	3506		3506	3506		3506		3506	(3506	3404	3373		3515	3389	3373	3373	3373	3373	3373	3520	3520	3520	3520	3520	3520	3520	3521	3373	3373	3135	RFK	OB.T TD
362	360		360	355	363	363	١l	362	360	3	360		360		360	358	355		360	357	355	355	355	355	355	363	377	360	360	360	360	360	357	356	355	362	_ID_FK	DEF OB.T
2	2		2	2	2	2		2	Ν.		2		2		2	2	2		2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	^	ID_FK	KUSAS
A checkbox named V_Gen_Party_COB_Info_Trans.Activ_YN	A text item named V_Gen_Party_COB_Info_Role_Tran.Stord_Value	V_Gen_Party_COB_Info_Role_Tran.Gen_Party_COB_Info _ID	A text item named		A button named V_Gen_Party_COB_Info_Role.Pb_Value	A button named V_Gen_Party_COB_Info_Role.Pb_Lang_CD	V_Gen_Party_COB_Info_Role.Activ_YN	A checkbox named	A text item named V_Gen_Party_COB_Info_Role.Lang_Name_TX	V_Gen_Party_COB_Info_Role.Stord_Value	A text item named	<pre>V_Gen_Party_COB_Info_Role.Var_Name_TX</pre>	text item named	V_Gen_Party_COB_Info_Role.Gen_Party_COB_Info_ID		- 1	A block named V_Gen_Party_COB_Info_Role	_Gen_Party_	text item named	A canvas named C_Geogr_Reg_Filter	A block named V_Geogr_Reg	A block named GR_Filter	A block named COB_Reprt	A block named Gr_Drill_Down	A block named Party_Drill_Down	A button named Source.Push_Button439	A radio group named Source.Rg_Source	A text item named Source.Name_TX	item named Source.Z_	A text item named Source.Z_Party_CD	A text item named Source.Cntxt_TX	A text item named Source.Party_Role_ID	A canvas named C_Source	A window named W_Source	A block named Source	A cneckbox named V_Gen_Party_COB_Info_Role_Tran.Activ_YN	CEO(7,_+2	DACUS TAX

, NOV 14 2005

	222	3557 359 3557 359	V_Funct Custom	3563 3564
A visual attribute named Data_Current		8 7	I۵	3561
1 1			C_Main	3560
A window named W_Main	2	3557 356	W_Main	3559
A block named Stuff	2 .	3557 355	Stuff	3558
A form named Function	2	354	Function	3557
text item named	2	3539 360	Plan_Table.Position	3556
item named	2	3539 360	Plan_Table.Parent_ID	3555
A text item named Plan_Table.ID		3539 360	Plan_Table.ID	3554
A checkbox named V_Funct_Activ_YN	2	3563 362	V_Funct_Activ_YN	3572
text item named			II I	3583
A text item named V_Funct_Dtl.Descr_TX	2	3576 360	11	3582
A checkbox named V_Funct_Dtl.May_Rpeat		3576 362	V_Funct_Dtl.May_Rpeat_YN	3581
A checkbox named V_Funct_Dtl.Reqd_YN	2	3576 362	V_Funct_Dtl.Reqd_YN .	3580
text	2	3576 360	II I	3579
text	2	3576 360	V_Funct_Dtl.DSP_Domain_CD	3578
	2	3576 360	V_Funct_Dtl.Name_TX	3577
	2	3557 355	V_Funct_Dtl	3576
	2		V_Funct.Pb_Domain_CD	3575
	2	3557 359	Block_Title	3574
	2	3563 360	V_Funct.Descr_TX	3573
<pre>A text item named V_Gen_Party_COB_Info_Party.Gen_Party_COB_Info_ID</pre>	2	3491 360	V_Gen_Party_COB_Info_Party.Gen_Party_COB _Info_ID	3493
Gen_l				
	2	3501 360	V_Gen_Party_COB_Info_Trans.Lang_Name_TX	3504
A text item named	2	3501 360	V_Gen_Party_COB_Info_Trans.Stord_Value	3503
Gen_I			_Info_ID	
A text item named	2	3501 360	V_Gen_Party_COB_Info_Trans.Gen_Party_COB	3502
A block named V_Gen_Party_COB_Info_Trans	. 2	3373 355	V_Gen_Party_COB_Info_Trans	3501
V_Gen_Party_COB_Info_Party.Pb_Z_Party_COB_NFO_CD		,	B_NFO_CD	
	J	3/01 363	W Con Barty COB Info Barty Bh 7 Barty CO	э Л О
	2	3491 363	V_Gen_Party_COB_Info_Party.Pb_Value	3499 .
	2	3491 363	V_Gen_Party_COB_Info_Party.Pb_Lang_CD	3498
checkbox 1	2	3491 362	V_Gen_Party_COB_Info_Party.Activ_YN	3497
A text item named V Gen Party COB Info Party.Lang Name TX	-2	3491 360	V_Gen_Party_COB_Info_Party.Lang_Name_TX	3496
Gen_I				
A text item named	2	3491 360	V_Gen_Party_COB_Info_Party.Stord_Value	3495
V_Gen_Party_COB_Info_Party.Var_Name_TX		0491 000	\"@eil_rarcy_cop_tiito_rarcy.var_Naile_iv	7 # 7 #
1			TO CAL DANKE: COD TAKE DANKE: Var Name My	1016

NOV 14 2005 E

																																										PATE	N(0
3469	3468	3467	3466	3465	3479	3492	3491	3490	3489	3488	3487	3486	3485	3484	3483	3482	3481	3480	3536	3552	3551	3550	3549	3548	3547	3546	3545	3544	3543	3542	3541	3540	3539	3538	3537	3553	3571	3570	3569	3568	3567	3566	3565	2
V_Party_Role_Parent	V_Party.Order_NR	V_Party.Persn_YN	V_Party.End_DT	V_Party.Activ_YN	<pre>V_Party_Role_Parent.Pb_Z_Party_CD</pre>	Tab3		<pre>V_Party_Role_Child.Pb_Party_ID</pre>	<pre>V_Party_Role_Child.Pb_Z_Party_CD</pre>	<pre>V_Party_Role_Child.Pb_Z_Rel_CD</pre>	V_Party_Role_Child.Activ_YN	Role_	V_Party_Role_Child.Start_DT	V_Party_Role_Child.DSP_Party_ID	V_Party_Role_Child.DSP_Z_Party_CD	V_Party_Role_Child.DSP_Z_Rel_CD	V_Party_Role_Child.Party_Role_ID	V_Party_Role_Child	V_Geogr_Reg.Activ_YN	Plan_Table.Optimizer	Plan_Table.Object_Type		Plan_Table.Object_Name			Table.	Table.	Table.	e.Timestamp	Plan_Table.Statement_ID	Canvas2	Window1	Plan_Table	lp	V_Geogr_Reg.DSP_Z_Geogr_Reg_CD		Data_Display	V_Funct:DSP_Domain_CD	V_Funct.DSP_Z_Funct_CD	V_Funct.Name_TX	Data_Enter	V_Funct.Funct_ID	Data_Blue .	
3373	3461	3461	3461	3461	3469	3396	3373	3480	3480	3480	3480	3480	3480	3480	3480	3480	3480	3373	3534	3539	3539	3539	3539	3539	3539	3539	3539	3539	3539	3539	3540	3538	3538		3534	3539	3557	3563	3563	3563	3557	3563	3557	
355	0	362	360	362	363	358	355	363	363	363	362	360	360	360	360	360	360	355	362	360	360	360	360	360	360	360	360	360	oι	360	357	356	355	354	360	360	359	360	360	360	359	360	359	
2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	8	2	2	2	2	2	2 .	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	
A block named V_Party_Role_Parent	A text item named V_Party.Order_NR	A checkbox named V_Party.Persn_YN	A text item named V_Party.End_DT	A checkbox named V_Party.Activ_YN	A button named V_Party_Role_Parent.Pb_Z_Party_CD	A tab page named Tab3	A block named V_Gen_Party_COB_Info_Party	A button named V_Party_Role_Child.Pb_Party_ID	A button named V_Party_Role_Child.Pb_Z_Party_CD	A button named V_Party_Role_Child.Pb_Z_Rel_CD	A checkbox named V_Party_Role_Child.Activ_YN	A text item named V_Party_Role_Child.End_DT	A text item named V_Party_Role_Child.Start_DT	A text item named V_Party_Role_Child.DSP_Party_ID	A text item named V_Party_Role_Child.DSP_Z_Party_CD		A text item named V_Party_Role_ID	A block named V_Party_Role_Child	A checkbox named V_Geogr_Reg.Activ_YN	A text item named Plan_Table.Optimizer	A text item named Plan_Table.Object_Type	A text item named Plan_Table.Object_Instance	A text item named Plan_Table.Object_Name	item named Plan_	A text item named Plan_Table.Object_Node	text item named Plan	text item named Plan_	item named Plan	text item named	A text item named Plan_Table.Statement_ID	- 1	A window named Window1	1	Help	A text item named V_Geogr_Reg.DSP_Z_Geogr_Reg_CD	A text item named Plan_Table.Search_Columns	A visual attribute named Data_Display	A text item named V_Funct.DSP_Domain_CD		A text item named V_Funct.Name_TX	A visual attribute named Data_Enter	tem named V_Funct.Func	A visual attribute named Data_Blue	

NOV 1 4 2005

		-			
3470	Tab2	3396	358	2	A tab page named Tab2
3471	V_Party_Role_Parent.Party_Role_ID	3469	360	7	A text item named V_Party_Role_ID
3472	V_Party_Role_Parent.DSP_Party_Role_ID_RF K	3469	360	2	A text item named V_Party_Role_Parent.DSP_Party_Role_ID_RFK
3473	V_Party_Role_Parent.DSP_Z_Party_CD	3469	360	7	A text item named V_Party_Role_Parent.DSP_Z_Party_CD
3474	V_PartY_Role_Parent.DSP_Z_Rel_CD	3469	360	7	A text item named V Party Role Parent. DSP Z Rel CD
3475	V_Party_Role_Parent.Activ_YN	3469	362	2	 y_Role
3476	V_Party_Role_Parent.Start_DT	3469	360	2	1 1
3477	V_Party_Role_Parent.End_DT	3469	360	2 ·	text
3478	V_Party_Role_Parent.Pb_Cntxt_TX	3469	363	2	butto
3464	V_Party.Start_DT	3461	360	2 0	text item named
3449	Locator Start To DT	3433	360	7 0	A text item named locator Start mo pm
3450	Locator.End_From_DT	3433	360	2 2	text item named Locator
3451	Locator.End_To_DT	3.433	360	2	text item
3452	Locator.Dsp_Geogr_Reg_ID	3433	360	2	text item named Locator. Dsp.
3453	Locator.Dsp_Z_Var_CD	3433	360	2	
3454		3433	363	2	butto
3455	Locator.RAG_Persn_Org	3433	377	2	radio group named Locato
3456	Locator.RAG.Aspect_TX	3433	377	2	radio c
3457	Locator.Pb_Z_Party_CD	3433	363	2	A button named Locator.Pb_Z_Party_CD
3458	Locator.Pb_Cntxt_TX	3433	363	2	A button named Locator.Pb_Cntxt_TX
3459	- 1	3433	363	2	button named Locator
3460	Locator.Pb_Geogr_Reg_ID	3433	363	2	button named Locator.Pb
3447	Locator.DSP_Z_Rel_CD	3433	360	2	A text item named Locator.DSP_Z_Rel_CD
3461	V_Party	3373	355	2	block named V_Party
3462	V_Party.Party_ID	3461	360	2	text item named
3463	V_Party.Name_TX	3461	360	2	text item named V_Party.Name_TX
3431	Party_Filter_Result.Name_TX	3429	360	2	text item named Party_Filter_Result.Name
3432	Party_Filter_Result.Activ_YN	3429	362	2	- 1
3433	Locator	3373	355	2	block name
3434	Locator.Party_ID	3433	360	2 0	- 1
3436	Locator From NR	3433	360	2 0	A calivas lighted scale_bing_NR
3437	Start End DT	3395	357	2 2	Canva
3438	Locator.From_DT	3433	360	2	text item nam
3439	Locator.To_NR	3433	360	2	item named
3440	Locator.To_DT	3433	360	2	A text item named Locator.To_DT
3441	Locator.DSP_Party_Role_ID_RFK	3433	360	2	A text item named Locator.DSP_Party_Role_ID_RFK
3430	Party_Filter_Result.Party_ID	3429	360	2	A text item named Party_Filter_Result.Party_ID
3442	Locator.DSP_Z_Party_CD	3433	360	2	text item named Locator.DSP_Z_Pe
3443	Locator.Var_Val_TX	3433	360	2	text
3444	Locator.DSP_Party_ID	3433	360	2	A text item named Locator.DSP_Party_ID

SE SOUZ PI NON E

<u> </u>					
3445	Locator.FED_Tax_ID_	3433	360	2	A text item named Locator.FED_Tax_ID_
3446	Locator.Legcy_NR	3433	360	2	A text item named Locator.Legcy_NR
3414	Party_Role.Party_Role_ID	3413	360	2	A text item named Party_Role.Party_Role_ID
3415	Party_Roje.Cntxt_TX	3413	360	2	A text item named Party_Role.Cntxt_TX
3416	Party_Role.DSP_Z_Rel_CD	3413	360	2	A text item named Party_Role.DSP_Z_Rel_CD
3417	Party_Role.DSP_Z_Party_CD	3413	360	2	named Party_Role.DSP_Z_Par
3418	Party_Role.DSP_Party_ID	3413	360	2	A text item named Party_Role.DSP_Party_ID
3419	PR_Locator:	3373	355	2	A block named PR_Locator
3420	Data_Enter	3373	359	2	A visual attribute named Data_Enter
3421	PR_Locator.Name	3419	360	2	A text item named PR_Locator.Name
3422	PR_Locator.Party_Role_ID	3419	360	2	A text item named PR_Locator.Party_Role_ID
3423	PR_Locator.DSP_Z_Party_CD	3419	360	2	A text item named PR_Locator.DSP_Z_Party_CD
3424	Party_Filter	3373	355	2	A block named Party_Filter
3425	C_Party_Filter	3384	357	2	A canvas named C_Party_Filter
3426	Party_Filter.Party_ID	3424	360	2	A text item named Party_Filter.Party_ID
3413 .	Party_Role	3373	355	2	A block named Party_Role
3427	Party_Filter.DSP_Party_ID	3424	360	2	A text item named Party_Filter.DSP_Party_ID
3428	Party_Filter.DSP_Z_Party_CD	3424	360	2	A text item named Party_Filter.DSP_Z_Party_CD
3429	Party_Filter_Result	3373	355	2	block named Party_Filter_Result
3394	Stuff.Pb_Start_Over	3374	363	2	A button named Stuff.Pb_Start_Over
3395	W_Main	3373	356	2	A window named W_Main
3396	C_Tab	3395	357	2	A canvas named C_Tab
3397	Tab4	3396	358	2	A tab page named Tab4
3398	Stuff.Party_Cntxt	3374	360	2	A text item named Stuff.Party_Cntxt
3399	Stuff.Pb_Party_Cntxt	3374	363	2	A button named Stuff.Pb_Party_Cntxt
3400	Tab1	3396	358	2	A tab page named Tab1
3401	Data_Display	3373	359	2	A visual attribute named Data_Display
3402	Stuff.Incld_Inactiv	3374	362	2	checkbo
3403	Stuff.Result	3374	362	2	A checkbox named Stuff.Result
3404	C_Subtab	3395	357	2	A canvas named C_Subtab
3405	Srab1	3404	358	2	A tab page named STab1
3406	Stuff.Subtab_Null_Item	3374	360	2	A text item named Stuff.Subtab_Null_Item
3407	Stuff.Tab_Null_Item	3374	360	2	A text item named Stuff.Tab_Null_Item
3393	Stuff.Pb_Gr_Quit	3374	363	2	A button named Stuff.Pb_Gr_Quit
3408	Data_Current	3373	359	2	A visual attribute named Data_Current
3409	Stuff.Null_Item	3374	360	2	A text item named Stuff.Null_Item
3410	C_Main	3395	357	2	canvas
3411	Data_Blue	3373	359	2	A visual attribute named Data_Blue
3412	Stuff.Headr_TX	3374	361	2	A display item named Stuff.Headr_TX
3374	Stuff	3373	355	2	A block named Stuff
3373	Party_111		354	2	A form named Party_111
3375	W_Pick	3373	356	2	A window named W_Pick
3376	C_Pick	3375	357	2	canvas
3377	Custom	3373	359	2	visual attribute named
3378	Block_Title	3373	359	2	visual
3379	Stuff.Pb_Back	3374	363	2	A button named Stuff.Pb_Back



C_Tb_Pick	3375	357	2	A canvas named C_Tb_Pick
Stuff.Pb_Pr_Filter	3374	363	2	A button named Stuff.Pb_Pr_Filter
Stuff.Pb_Pr_Quit	3374	363	2	A button named Stuff.Pb_Pr_Quit
Stuff.Pb_Pr_Pick	3374	363	2	A button named Stuff.Pb_Pr_Pick
W_Party_Filter	3373	356	2	A window named W_Party_Filter
C_Tb_Party_Filter	3384	357	2	A canvas named C_Tb_Party_Filter
Stuff.Pb_Party_Filter	3374	363	2	A button named Stuff.Pb_Party_Filter
Stuff.Pb_Party_Quit	3374	363	2	A button named Stuff.Pb_Party_Quit
Stuff.Pb_Party_Pick	3374	363	2	A button named Stuff.Pb_Party_Pick
W_Geogr_Reg_Filter	3373	356	2	A window named W_Geogr_Reg_Filter
.c_TB_Geogr_Reg	3389	357	2	A canvas named C_TB_Geogr_Reg
' Stuff.Pb_Gr_Pick	3374	363	2	A button named Stuff.Pb_Gr_Pick
Stuff.Pb_Gr_Filter	3374	363	2	A button named Stuff.Pb_Gr_Filter

3381

3383

3386 3387 FIG. 7E

ABSTR_OBJ

3391 ' 3392

3390

3389

ABST_OBJ_ID	SYSTM_ID_FK	DEF_OBJ_ID_FK	NAME_TX	DESCR_TX
П	2	354		
2	2	355		
3	2	355		

FIG. 7F

LANG			
LANG_CD	NAME_TX	DESCR_TX	
English	English		
French	French		
German	German		

FIG. 7G

LABEL_SET

LABEL_SET_CD NAME_TX	NAME_TX	LANG_CD_FK	LANG_CD_FK SYSTM_ID_FK DESCR_TX	DESCR_TX
ABC_Eng	ABC Corp English	English	1	The payroll system with English labels.
ABC_Fr	ABC Corp French	French	1	The payroll system with French labels.
ABC-Grm	ABC Corp German	German	1	The payroll system with German labels.





NAME TX DEFILE TX	THEFT TO	DEFT.T NR	תם יהואאם	рата турк ср	I'NGTH NR	MAX NR	MTN NR	PRCSN NR	THE THE TATE TYPE OF LINGTH NR MAX NR MIN NR PROSN NR VALTO RITE TX DESCR TX 2 DOMAIN	DESCR TX	NT AMOU 7
)		ı					CD
Money Money	Money			Number	10			7	-		
Small				Number	9						
Amount											

DOMAIN

FIG. 7I

DEF_OBJ_ATTR

DEF_OBJ_ATT	NAME	DEF_OBJ_ID	ABST_OBJ_IDF_	DOMAIN_CD_FK	DESCR_TX
R_ID		_FK	YN		
431	Visual Attribute	357	Y	Char	Visual attribute for a canvas.
432	Label	358	Ϋ́	Char	Label for a tab page.
433	Prompt Text	360	Y	Char	Prompt text for text item.
434	Label	362	Y	Char	Label for a checkbox.
435	Label	363	Y	Char	Label for a button.
430	Title	356	Υ	Char	Title for a window.
436	Hint Text	360	. Т	Char	Hint text for a text item.
437	Tooltip Text	360	Υ	Char	Tooltip text for a text item.
438	Hint Text	361	Y	Char	Hint text for a display item.
439	Tooltip Text	361	Y	Char	Tooltip text for a display item.
440	Hint Text	362	Υ	Char	Hint text for a checkbox.
441	Tooltip Text	362	Y	Char	Tooltip text for a checkbox.
442	Hint Text	363	Y	Char	Hint text for a button.
443	Tooltip Text	363	Ā	Char	Tooltip text for a button.

FIG. 7J

OBJ_VALUE

OBJ_VALUE_ID VALUE_TX VALUE_NR	VALUE_TX	VALUE_NR	DEF_OBJ_ID_FK	OBJ_ID_FK	LABEL_SET_CD_FK	DEF_OBJ_ID_FK OBJ_ID_FK LABEL_SET_CD_FK DEF_OBJ_ATTR_ID_FK ABSTR_OB	ABSTR_OB
			-				J_ID_FK
2284	Default		357	3376	ABC_Eng	431	
2285	Back		363	3379	ABC_Eng	442	
2286	Back		363	3379	ABC_Eng	435	
2287	Default		357	3380	ABC_Eng	431	
2288	Filter		363	3381	ABC_Eng	442	
2283	W_Pick		356	3375	ABC_Eng	430	
2289	Filter		363	3381	ABC_Eng	443	
2290	Quit		363	3382	ABC_Eng	442	

SOUZ PI NON

<u> T</u>		Γ	T	Τ				Т			-									Γ										Γ		T	\Box
		:																															
443	442	443	430	442	443	442	442	443		430			442		443	442	442	443	443	430			435	433	. 433	430	431	433	433	433	433	433	433
ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC Eng	l	ABC_Eng			ABC_Eng		ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng			ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC Eng	ABC_Eng	ABC Eng	ABC_Eng
3382	3383	3383	3384	3386	3386	3387	3388	3388		3389			3391		3391	3392	3393	3393	3394	3395			3513	3517	3523	3540	3541	3542	3543	3544	3545	3546	3547
363	363	363	356	363	363	363	363	363		356			363	(363	363	363	363	363	356			363	360	360	356	357	360	360	360	360	360	360
Quit	Pick Context	Pick Context	W_Party_ Filter	Filter	Filter	Quit	Pick	Pick	Context	W_Geogr_	Reg_Filt	er	Pick	Context	Pick Context	Filter	Quit	Quit	Quit	Party	Maintena	nce	Ω	Value	ID	Window1	Default	Statemen t ID	Timestam	Remarks	Operatio	Options	Object
		2293	1.	9		2298		2301		2302			2304		2305				2311						•			2418	2419	2420			2423

A THIN EGYPT STA	انغ
SOOZ PI AON	
84 B 0 19	

	9000				_	1
	Object	360	3548	ABC_Eng	433	
	Owner					
tina Kara	Object Name	360	3549	ABC_Eng	433	
	Object	360	3550	ABC_Eng	433	
	Instance				((,	
242 <i>1.</i> !. ^	Object Type	360	355L	ABC_Eng	433	-
2428	Optimize r	360	.3552	ABC_Eng	433	
2429	Search Columns	360	3553	ABC_Eng	433	
	Ϊ́	360	3554	ABC_Eng	433	
2431	Parent ID	360	3555	ABC_Eng	433	
2432	Position	360	3556	ABC_Eng	433	
2433	Function	356	3559	ABC_Eng	430	
	Maintena nce					
2434	Custom	357	3560	ABC_Eng	431	
	Party	358	3507	ABC_Eng	432	
	Role					
	Info	250	2526	704	133	
	ion	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Sing - Jay	C C #	
	Name	360	3527	ABC_Eng	433	
	Quit	363	3529	ABC_Eng	435	
	Default	357	3535	ABC_Eng	431	
	Type	360	3537	ABC_Eng	433	
2295	Default	357	3385	ABC_Eng	431	
	Quit	363	3387	ABC_Eng	433	
2303	Default	357	3390	ABC_Eng	431	
	Filter	363	3392	ABC_Eng	443	
2310	Start	363	3394	ABC_Eng	442	
2326	Type	360	3417	ABC Eng	433	
	Туре	360	3423	ABC_Eng	433	
	Role	360	3428	ABC_Eng	433	
	ID	360	3434	ABC_Eng	433	
2341	From	360	3438	ABC_Eng	433	
	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	360	2441	100 Dax		

ON 14 20																																						
	435	433	432	433	435	433	433	433	433	433	433	433	435	435	435	432	433	433	433	435	435	435	433	433	433	433	433	433	435	433	433	430	431	433	433	433	433	433
	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng .	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng															
	3459	3463	3470	3474	3479	3496	3502	3525	3483	3484	3485	3486	3488	3489	3490	3492	3493	3494	3495	3498	3499	3500	3503	3504	3508	3509	3510	3511	3514	3516	3518	3521	3522	3482	3524	3443	3444	3445
	363	360	358	360	363	360	360	360	360	360	360	360	363	363	363	358	360	360	360	363	363	363	360	360	360	360	360	360	363	360	360	356	357	360	360	360	360	360
	Ω	Name	Party Role	Relation	n	Lang	ID	Role	Type	Source	Start DT	End DT	U	U	. п	Party Info	ID	Var	Value	D	U	U	Value	Lang	ID	Var	Value	Lang	n	ID	Lang	W_Source	Custom	Relation	Context	TX	Name	EIN
	2360	.2363	7367	2371	2375	2389	2393	2410	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2390	2391	2392	2394	2395	2397	2398	2399	2400	2402	2403	2405	2406	2407	2377	2409	2346	2347	2348

3 0 1 O NON TO SUBSTITUTE OF THE STATE OF TH

																٠																							
433	433	433	433	433	433	433	435	435	435	435	433	433	433	433	433	433	433	433	433	435	433	433	433	433	433	433	435	433	433	433	433	433	433	432		433	435	432	434
ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng		ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng			ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng		ABC_Eng		ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng						
3447	3448	3449	3450	3451	3452	3453	3454	3457	3458	3460	3462	3464	3466	3468	3471	3472	3473	3476	3477	3478	3442	3481	3568	3569	3570	3573	3575	3577	3578	3579	3582	3583	3566	3397		3398	3399	3400	3402
360	360	360	360	360	360	360	363	363	363	363	360	360	360	360	360	360	360	360	360	363	360	360	360	360	360	360	363	360	360	360	360	360	360	358		360	363	358	362
Rel Type	Start	To	End From	To	Name	Name	ח	Ω	U	Ω	ID	Start DT	End DT	Ord Num	ID	Context	Type	Start DT	End DT	U	Туре	ID	Name	Туре	Domain	Descr	Ω l	Name	Domain	Order	Descr	ID	IDD	child	Role	Cntxt	Ω	Locator	Check_Bo
2350	2351	2352	2353	2354	-2355	2356	2357	2358	2359	2361	2362	2364	2365	2366	2368	2369	2370	2372	2373	2374	2345	2376	2436	2437	2438	2439	2440	2441	2442	2443	2444	2445	2435	2314		2315	2316	2317	2318



									•												
	434	431	432	431	433	433	433	433	433	433	431	433	433	433	433	431	431	433	431	433	433
	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC_Eng	ABC Eng
	3403	3404	3405	3410	3414	3415	3416	3418	3421	3422	3425	3426	3427	3430	3431	3396	3435	3436	3437	3439	3440
	362	357	358	357	360	360	360	360	360	360	357	360	360	360	360	357	357	360	357	. 360	360
x159	Check_Bo x159	Custom	Sub Role	Custom	ID	Context	Relation	Source	Name	ID	Default	ID	Name	ID	Name	Custom	Default	From	Default	To	To
	2319	2320	2321	2322	2323	2324	2325	2327	2328	2329	2331	2332	2333	2335	2336	2313	2338	2339	2340	2342	2343

FIG. 7K